



# 15<sup>th</sup> International Symposium on the Chemistry of Natural Compounds

November 2-5, 2023 - Antalya, Türkiye

100\*

## Journal of Research in Pharmacy

An international open-access journal of pharmacy and pharmaceutical sciences

Formerly published as Marmara Pharmaceutical Journal

**15th International Symposium on the Chemistry of Natural  
Compounds (SCNC 2023)**

# Journal of Research in Pharmacy

An international open-access journal of pharmacy and pharmaceutical sciences

Formerly published as Marmara Pharmaceutical Journal

**SPECIAL SYMPOSIUM ISSUE  
BOOK OF ABSTRACTS**

**Editor: K.H.C. BAŞER**


## PL7. RECENT ADVANCES OF TARGETED SYNTHESIS, MODIFICATIONS AND BIOACTIVITY OF QUINAZOLINE ALKALOIDS AND THEIR ANALOGUES

B. Zh. ELMURADOV<sup>1\*</sup>, A. U. BERDIEV<sup>1</sup>, B. B. JURAEV<sup>1</sup>,  
R. Z. KHUDOYKULOVA<sup>1</sup>, F. A. ZULPANOV<sup>1</sup>

<sup>1</sup>Institute of the Chemistry of Plant Substances, Academy of Sciences of the Republic of Uzbekistan, 77, Mirzo Ulugbek str., Tashkent, 100170, Uzbekistan

\*Corresponding Author. E-mail: [b\\_elmuradov@mail.ru](mailto:b_elmuradov@mail.ru)

It is important to create targeted synthesis methods of highly effective pharmacologically active compounds and to successfully use them in various fields of the national economy. In this regard, it is important to create cheap and effective local preparations, to further improve their physico-chemical and biological properties. Bi- and tricyclic quinazolines are considered as important objects for medicinal chemists, because they are the scaffold of several potent anticancer drugs. Leading examples are the well-known *erlotinib*, *vandetanib*, *lapatinib*, *icotinib* and *gefitinib*. Several new annulated pyrimidines and imidazoles were selected by the National Cancer Institute (USA) for the treatment of different types of human cancer cell lines. The analysis of research conducted in the field of organic, bioorganic and medical chemistry shows that very extensive scientific and practical research is being conducted with compounds containing the pyrimidine and imidazole rings in the molecule, and the number of drugs created on their basis is increasing [1-4]:



In this work, targeted synthesis, modification and application of bi- and tricyclic quinazolines (**1,4**) and their heterocyclic analogues (thienopyrimidines - **2,5** and benzimidazoles - **3**) will be discussed.


**Keywords:** Quinazoline; analogue; anticancer

### REFERENCES

- [1] Shakhidoyatov Kh. M, Elmuradov B Zh. *Chem. Nat. Compd.* 2014; 50: 781.
- [2] El-Subbagh, HI, Hassan GS, El-Messery SM, Al-Rashood ST, Al-Omary FAM, Abulfadl YS, Shabayek MI. *Eur. J. Med. Chem.* 2014; 74; 234-245.
- [3] Bozorov KhA., Jiang-Yu Zhao, Elmuradov B Zh, Apar Pataer, Haji A. Aisa. *Eur. J. Med. Chem.* 2015; 102: 552-573 (Review).
- [4] Al-Suwaidan IA, Alanazi AM, Abdel-Aziz AAM, Mohamed MA, El-Azab AS. *Bioorg. Med. Chem. Lett.* 2013;23: 3935-3941.

# carven®

No Interruption, Yes to FLOW



Standardized Thyme (*Thymus vulgaris* L.) extract and  
Licorice Root (*Glycyrrhiza glabra* L.) extract

It is prepared for healthcare professionals.



ENAFARMA  
It's the Power Way to Missed Your Pain.